

# Lexmark XM1145 and XM3150 Monochrome Laser MFP



Model shown features additional options

## Powerful. Compact.



Mono



Duplex  
Printing



Solutions



Duplex  
RADF



Security



Up to  
50 ppm



4.3-Inch or  
7-Inch Touch  
Screen



Network



Front USB

**LEXMARK**<sup>™</sup>



## Lexmark XM1145 and XM3150



### Why Lexmark.

Founded in 1991 from an IBM heritage in Lexington, Kentucky, Lexmark is focused on delivering tailored solutions to solve the unique challenges businesses face. Lexmark's broad portfolio of high quality products, solutions, and services help improve productivity, increase efficiency and empower employees to perform at their best.



### Eco-responsible.

Printing responsibly and reducing the impact of printing on the environment is a win for your business and your budget. Our goal is to design, package and deliver innovative products and solutions that produce high quality output with reliable performance. And at the same time, help you minimize the number of cartridges you use over the life of a printer and conserve paper and energy.

The Lexmark Cartridge Collection Program provides a variety of methods for free returns of your empty cartridges to Lexmark or our collection partners. Program availability and details vary by country.



### Environmental protection is a shared responsibility.

Through work with industry groups, Lexmark helps guide the formation of standards and guiding principles for environmental sustainability.

### Our memberships include

- AeA Europe
- Ecma International
- Electronics Industry Citizenship Coalition (EICC)
- DIGITALEUROPE
- European Information & Communications Technology Industry Association (EICTA)
- Information Technology Industry Council (ITI) Environmental Leadership Council



## Lexmark XM1145 and XM3150 Overview



**Powerful performance.** The Lexmark XM1145 and XM3150 multifunction systems will help propel your business forward. Our solutions capable, eco-friendly systems can simplify processes and help you quickly respond to changing business needs.

- Process even the most complex jobs utilizing the 800 MHz dual-core processing power and up to 3GB of memory
- Get work done quickly with print and copy speeds up to 50 ppm and produce your first page in as little as 6.5 seconds
- Produce professional output with a system that delivers consistent image quality on a diverse range of materials
- Instant warm-up fuser helps reduce energy consumption and improve time to first page



**Business productivity.** The Lexmark XM1145 and XM3150 combine exceptional multifunction performance with time-saving applications designed to make you more productive.

- Save time with fast 2-side color scanning and quickly convert hard-copy documents into a digital format
- Advanced copy functions let you interrupt long print runs to make a quick copy and proof the first copy set before completing your copy job
- Scan to multiple destinations, including scan to network, email, FTP, fax, and more
- For higher volume print needs, optional input capacity can be added to keep jobs moving
- An in-line stapler option on the XM3150 will finish the job



**Easy and intuitive.** The Lexmark XM1145 and XM3150 are designed for easy operation to allow you to stay focused on customer engagements instead of routine maintenance.

- Easy to navigate 4.3-inch or 7-inch touch screen provides audible feedback to make completing tasks intuitive
- Print and scan preview features help you select documents or specific pages within a document
- Extend your environmental responsibility with energy-efficient settings such as the Sleep Button and Hibernate Mode
- Manage your devices with available software

## Propel your business forward

Our solutions are designed with your productivity in mind. The Lexmark XM1145 and XM3150 platform lets you interact with business applications directly on the device or with a server, on premise or hosted in "the cloud". Reduce unnecessary printing and simplify work processes with Lexmark solutions.



## Lexmark XM1145 and XM3150 Solutions

**Navigate to efficiency.** The Lexmark color touch screen is a key access point to your device. The customizable, 4.3-inch or 7-inch interface gives you the ability to preview thumbnails of documents prior to printing, as well as change print job settings at the device. You can even view, select and print specific pages within a document directly from the touch screen. Its easy-to-use, intuitive navigation provides fast access to the functions and shortcuts.

The following are examples of preloaded solutions on XM1145 and XM3150 Series MFPs.



XM3150 Series MFP



XM1145 Series MFP



### Multi Send (XM3150 only)

Capture and route a document to multiple destinations simultaneously and print a copy if you choose. Documents can be routed to email, network folders, or FTP sites.



### Forms and Favorites

Eliminate waste and inefficiencies associated with preprinted forms. Store frequently printed forms, marketing materials or other documents online, then print them on demand.



### Scan to Network Basic

Scan a hard copy document and route the image to one of 30 predefined or public shared network folders.



### Customer Support

Easily send information about your device to your authorized dealer



### Device Quotas

Lexmark Device Quotas allows an administrator to configure user level quotas for print, scan, copy, and outbound fax.

Additional Lexmark solutions are available through your authorized Lexmark Business Solutions Dealers.



## Lexmark XM1145 and XM3150 Vertical Solutions



### Professional quality output is only part of the story

By leveraging our industry expertise, you can generate efficiency and increase productivity across business processes to gain the power you need to move ahead. Lexmark technology solutions are tailored to your business environment – where business interactions and decisions are happening.

Empower your employees with workflow solutions that refine work processes, capture critical data, and deliver information to the right place, at the right time, and in the right format.

Contact your Lexmark Business Solutions Dealer for specific vertical solutions\*.

\* Optional software available. Licensing fees may apply.



### Keep sensitive information and documents secure

Lexmark builds network devices with security in mind to protect your data and documents throughout your entire workflow. Our wide range of security functions include device management, device hardening and device operation.

**Device management.** Tools include administrative access and passwords, HTTPS, SNMPv3, IP security (IPSec), and 802.1x support to remotely monitor and manage device usage.

**Device hardening.** Includes port filtering, TCP connection filtering, hard disk encryption, hard disk wiping and digitally signed firmware updates that enhance the security of the device's network interface.

**Device operation.** Reduce vulnerabilities with authentication and authorization features, address book lookup via LDAP over SSL and device lockout for protection of user information.

### Lexmark has shown its strength and leadership with respect to security.

- Forming and chairing the group that created the IEEE 2600 standards for security on hard copy devices.
- Becoming the first hard copy device manufacturer to take a holistic approach with the National Information Assurance Partnership (NIAP) Common Criteria evaluation.

# Lexmark XM1145 and XM3150 Key Features

## Features that help you optimize your work



XM3150 with 7-inch color touch screen



### 1) Intuitive color touch screen

Operate your device with ease through smart and intuitive navigation. Receive audible feedback when you use the touch screen.



### 2) Flexible media handling

Add additional input capacity to handle higher volume output needs or an in-line stapler option for the XM3150 to finish the job.



XM1145 with 4.3 inch color touch screen



### 3) Automatic document feeder

Save time by scanning both sides of your document with robust color-scanning capabilities.



### 4) Direct USB

The front USB port allows for convenient walk-up preview, printing and scanning and is compatible with most printable image file formats.



### 5) Lexmark solutions

Reduce unnecessary printing and simplify work processes through solutions applications preloaded on your device. Choose additional Lexmark solutions to fit your unique workflow needs.



### 6) Innovative Unison™ Toner



Get advance toner science, powerful enough to deliver consistently outstanding image quality with a shake free print system.



### 7) Eco-friendly features

Easy-to-access features like Eco-Mode to reduce paper and toner consumption, the Sleep Button and Hibernate Mode make it easy to print responsibly and help you save energy.

# Lexmark XM1145 and XM3150 Ordering Information



- Standard
- Optional

## XM1145 and XM3150

Part #	Model
35S5705	Lexmark XM1145
35S6830	Lexmark XM3150

Part #	Laser Toner/Print Cartridge
24B6186	Toner Cartridge (XM3150)
24B6035	Toner Cartridge (XM1145)
24B6040	Imaging Kit (XM3150, XM1145)
35S8500	Staple Cartridge (5 pack) (XM3150)

Part #	Paper Handling
35S0267	250-Sheet Tray (XM3150, XM1145)
35S0567	550-Sheet Tray (XM3150, XM1145)
35S8000	Stapler Option (XM3150)

Part #	Furniture
35S8502	Adjustable Printer Stand (XM3150, XM1145)
3073173	Swivel Cabinet (XM3150, XM1145)

Part #	Memory Options
57X9101	256MB user Flash Memory (XM3150, XM1145)
57X9016	1024MBx32 DDR3-DRAM (XM3150, XM1145)
57X9012	2048MBx32 DDR3-DRAM (XM3150, XM1145)
27X0210	160 + GB Hard Disk Drive (XM3150, XM1145)
57X9115	Japanese Font Card
57X9114	Korean Font Card
57X9112	Simplified Chinese Font Card
57X9110	Traditional Chinese Font Card

Part #	Application Solutions
35S5889	Card for IPDS (XM1145)
35S6851	Card for IPDS (XM3150)
35S5888	Forms and Bar Code Card (XM1145)
35S6850	Forms and Bar Code Card (XM3150)
35S5890	Card for PRESCRIBE Emulation (XM1145)
35S6852	Card for PRESCRIBE Emulation (XM3150)

Part #	Connectivity
27X0129	MarkNet N8352 802.11b/g/n Wireless Print Server (XM1145)
27X0903	MarkNet N8350 802.11b/g/n Wireless Print Server (XM3150)
1021231	Parallel 1284-B Interface Card
27X0900	RS-232C Serial Interface Card
1021294	USB (2 Meter) Cable

Part #	Service
40X9137	Maintenance Kit (XM3150)
40X9135	Maintenance Kit (XM1145)

# Lexmark XM1145 and XM3150 Product Specifications



## Product specifications

### Lexmark XM1145

### Lexmark XM3150

Product specifications		
	Lexmark XM1145	Lexmark XM3150
<b>Printing</b>		
Display	Lexmark e-task 4.3-inch (10.9 cm) color touch screen	Lexmark e-Task 7-inch (17.8 cm) color touch screen
Print Speed: Up to <sup>3</sup>	Black: 45 ppm	Black: 50 ppm
Time to First Page: As fast as	Black: 6.5 seconds	
Print Resolution	1200 Image Quality, 1200 x 1200 dpi, 2400 Image Quality, 600 x 600 dpi	
Memory/Processor	Standard: 512 MB / Maximum: 2560 MB/Processor: Dual Core, 800 MHz	Standard: 1024 MB / Maximum: 3072 MB/Processor: Dual Core, 800 MHz
Hard Disk	Optional	
Recommended Monthly Page Volume <sup>2</sup>	2000-12000 pages	2000-15000 pages
<b>Copying</b>		
Copy Speed: Up to <sup>3</sup>	Black: 45 cpm	Black: 50 cpm
Time to First Copy: As fast as	Black: 6.5 seconds	
Reduce / Enlarge Range	25 - 400%	
<b>Scanning</b>		
Duplex Scan Speed: Up to	A4/Ltr, Black: 18 / 19 sides per minute - A4/Ltr, Color: 8 / 9 sides per minute	A4/Ltr, Black: 20 / 21 sides per minute - A4/Ltr, Color: 13 / 14 sides per minute
Simplex Scan Speed: Up to	A4/Ltr, Black: 41 / 43 sides per minute - A4/Ltr, Color: 19 / 20 sides per minute	A4/Ltr, Black: 45 / 48 sides per minute - A4/Ltr, Color: 30 / 32 sides per minute
Scanner Type	Flatbed scanner with ADF / RADF (Reversing Duplex) / 50 pages 20 lb. or 75 gsm bond	
Optical Scanning Resolution	600 x 600 dpi (color), 1200 X 600 ppi (black)	
<b>Faxing</b>		
Modem Speed	ITU T.30, V.34 Half-Duplex, 33.6 Kbps	
<b>Supplies</b>		
Laser Cartridge Yield	16000 <sup>1</sup> -page Toner Cartridge	
Cartridge(s) Shipping with Product <sup>4</sup>	Up to 5000 pages <sup>1</sup> Starter Toner Cartridge	Up to 7500 pages <sup>1</sup> Starter Toner Cartridge
Imaging Unit Estimated Yield: Up to	60000 pages, based on 3 average letter/A4-size pages per print job - 5% coverage	
<b>Paper Handling</b>		
Paper Handling Standard	250-Sheet Input, 100-Sheet Multipurpose Feeder, 150-Sheet Output Bin, Integrated Duplex	550-Sheet Input, 100-Sheet Multipurpose Feeder, 250-Sheet Output Bin, Integrated Duplex
Paper Handling Optional	250-Sheet Tray, 550-Sheet Tray	250-Sheet Tray, 550-Sheet Tray, Inline Stapler
Paper Input Capacity: Up to	Standard: 350 pages 20 lb or 75 gsm bond / Maximum: 2000 pages 20 lb or 75 gsm bond	Standard: 650 pages 20 lb or 75 gsm bond / Maximum: 2300 pages 20 lb or 75 gsm bond
Paper Output Capacity: Up to	Standard: 150 pages 20 lb or 75 gsm bond / Maximum: 150 pages 20 lb or 75 gsm bond	Standard: 250 pages 20 lb or 75 gsm bond / Maximum: 250 pages 20 lb or 75 gsm bond
Media Types Supported	Card Stock, Envelopes, Paper Labels, Plain Paper, Transparencies, Refer to the Card Stock & Label Guide	
Media Sizes Supported	10 Envelope, 7 3/4 Envelope, 9 Envelope, A4, A5, A6, DL Envelope, Executive, Folio, JIS-B5, Legal, Letter, Oficio, Statement, Universal	
<b>General</b>		
Standard Ports	Rear USB 2.0 Specification Hi-Speed Certified Port (Type A), One Internal Card Slot, Front USB 2.0 Specification Hi-Speed Certified Port (Type A), USB 2.0 Specification Hi-Speed Certified (Type B), Gigabit Ethernet (10/100/1000)	
Optional Network Ports/ Optional Local Ports	Internal MarkNet N8350 802.11b/g/n Wireless / Internal 1284-B Bidirectional Parallel, Internal RS-232C serial	
Noise Level, Operating	Print: 56 dBA / Copy: 56 dBA / Scan: 55 dBA	Print: 55 dBA / Copy: 56 dBA / Scan: 55 dBA
ENERGY STAR	Yes	
Specified Operating Environment	Altitude: 0 - 2896 Meters (9,500 Feet), Temperature: 16 to 32°C (60 to 90°F), Humidity: 8 to 80% Relative Humidity	
Size (in. - H x W x D) / Weight (lb.)	19.8 x 19.3 x 17.8 in. / 48 lb.	22.1 x 19.3 x 18.9 in. / 52 lb.

<sup>1</sup>Yield at approximately 5% print coverage. <sup>2</sup>"Recommended Monthly Page Volume" is a range of pages that helps customers evaluate Lexmark's product offerings based on the average number of pages customers plan to print on the device each month. Lexmark recommends that the number of pages per month be within the stated range for optimum device performance, based on factors including: supplies replacement intervals, paper loading intervals, speed, and typical customer usage. <sup>3</sup>Print and copy speeds measured in accordance with ISO/IEC 24734, excludes first set of text documents. For more information see: [www.lexmark.com/ISOspeeds](http://www.lexmark.com/ISOspeeds). <sup>4</sup>Average standard page yield value declared in accordance with ISO/IEC 19752.



Lexmark and Lexmark with the diamond design are trademarks of Lexmark International, Inc., registered in the United States and/or other countries. All other trademarks are the property of their respective owners. ENERGY STAR® is a U.S. registered mark. Information in this document is subject to change without notice. Unison is a trademark of Lexmark International, Inc. Information in this document is subject to change without notice.